

Snowate

LZB-4WB, 6WB, 10WB Series Rotameter

The LZB-WB series rotameter is suitable for measuring small range flow rates and is characterized by its compact size, aesthetic appeal, and lightweight design. It is available in two types: with an adjustment valve and without an adjustment valve, allowing customers to choose based on their specific requirements.





Drawing and dimensions

Model	Dimensions (mm)						
	А	В	С	D	Е		
LZB-4W(B)	26×25	90	116	136	ф8		
LZB-6W(B)	28×25	90	116	136	ф8		
LZB-10W(B)	28×25	90	140	160	ф 11		

Technical parameters

Model	Measurement Range		Accuracy (+04)	Operating	Operating
	Water (L/min)	Air (L/min)	Accuracy (±%)	Pressure (MPa)	Temperature (°C)
SR LZB-4W(B)	0.016-0.16	0.3–3	±4	≤1	0-60 °C
	0.025-0.25	0.6–6	±4	≤1	0-60 °C
SR LZB-6W(B)	0.04-0.4	0.7–7	±2.5	≤1	0-60 °C
	0.06-0.6	1–10	±2.5	≤1	0-60 °C
	0.1-1	1.5–15	±2.5	≤1	0-60 °C
SR LZB-10W(B)	0.1-1	3–30	±2.5	≤1	0-60 °C
	0.16-1.6	5–45	±2.5	≤1	0-60 °C
				_	

Note: WB type: Flow meter with regulating valve, W type: without regulating valve